

Fig. 1








FIGURE 2











DELTA VALVE 80° PARALLEL SLIDE GATE DELTALUG		D 3046-05 0
DATE: 11/11/93 DRAWN BY: J. LAH CHECKED BY: J. LAH SCALE: 1:1	PART NO.: 3046-05 REV: 0 QTY: 1	PART NO.: 3046-05 REV: 0 QTY: 1
MATERIAL: 304 STAINLESS STEEL FINISH: POLISHED	WEIGHT: 1.0 LB VOLUME: 0.001 CU IN	WEIGHT: 1.0 LB VOLUME: 0.001 CU IN
TOLERANCES: FRACTIONS DECIMALS ANGLES FRACTIONS: 1/16, 1/8, 1/4, 1/2, 3/4, 1, 2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 24, 30, 36, 48, 60, 72, 96, 120, 144, 180, 216, 240, 288, 360 DECIMALS: .005, .010, .015, .020, .030, .040, .050, .060, .070, .080, .090, .100, .125, .150, .175, .200, .250, .300, .375, .500, .625, .750, .875, 1.000 ANGLES: 1/2°, 1°, 1 1/2°, 2°, 3°, 4°, 5°, 6°, 8°, 10°, 12°, 15°, 18°, 20°, 24°, 30°, 36°, 45°, 60°, 72°, 90°, 108°, 120°, 135°, 144°, 160°, 180°	TOLERANCES: FRACTIONS DECIMALS ANGLES FRACTIONS: 1/16, 1/8, 1/4, 1/2, 3/4, 1, 2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 24, 30, 36, 48, 60, 72, 96, 120, 144, 180, 216, 240, 288, 360 DECIMALS: .005, .010, .015, .020, .030, .040, .050, .060, .070, .080, .090, .100, .125, .150, .175, .200, .250, .300, .375, .500, .625, .750, .875, 1.000 ANGLES: 1/2°, 1°, 1 1/2°, 2°, 3°, 4°, 5°, 6°, 8°, 10°, 12°, 15°, 18°, 20°, 24°, 30°, 36°, 45°, 60°, 72°, 90°, 108°, 120°, 135°, 144°, 160°, 180°	TOLERANCES: FRACTIONS DECIMALS ANGLES FRACTIONS: 1/16, 1/8, 1/4, 1/2, 3/4, 1, 2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 24, 30, 36, 48, 60, 72, 96, 120, 144, 180, 216, 240, 288, 360 DECIMALS: .005, .010, .015, .020, .030, .040, .050, .060, .070, .080, .090, .100, .125, .150, .175, .200, .250, .300, .375, .500, .625, .750, .875, 1.000 ANGLES: 1/2°, 1°, 1 1/2°, 2°, 3°, 4°, 5°, 6°, 8°, 10°, 12°, 15°, 18°, 20°, 24°, 30°, 36°, 45°, 60°, 72°, 90°, 108°, 120°, 135°, 144°, 160°, 180°








FIGURE 10 (globe valve)




FIGURE 11